

SDS Report

No. SHATY1204435902

Date: Apr. 25, 2012

Page 1 of 1

Changshu Hedian Pen Making Science and Technology limited company Mocheng Towm Changshu City Jiangshu Provinece

SGS Ref. No. : SHTY120300004001
Sample Name : Ball pen ink (blue)

End Uses : Writting

Composition/Ingredient of . See Section 3 Composition/information on ingredients on the SDS

sample (as per client submission) report

Job Receiving Date : Mar.31, 2012 Last Information Date : Apr.20, 2012

SDS Preparation Period : Mar.31~Apr.20, 2012

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared

in accordance with European Commission Directives 67/548/EEC, 1999/45/EC, Regulation (EC) No 1907/2006, Regulation (EU) No 453/2010 and Regulation (EC) No 1272/2008, and is provided per

attached.

Signed for and on behalf of SGS-CSTC Chemical Laboratory

Lindy Liu Lab Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.
him and for electronic format documents subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability the subject of the following the followi

3¹⁶Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮編: 200233 Printing date 25.04.2012

Revision: 13.04.2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Ball pen ink (blue) · Article number: Data not available.

Registration number:

benzyl alcohol (CAS No.100-51-6)

Registration number: 17-2119488852-24-0000

2-phenoxyethanol (CAS No.122-99-6)

Registration number: 17-2119488853-22-0000

1,2-propanediol (CAS No.57-55-6)

Registration number: 17-2119488856-16-0000

Copper phthalocyanine blue (CAS No.147-14-8) Registration number: 17-2119488857-14-0000

C.I.Basic violet 3 (CAS No.548-62-9)

Registration number: 17-2119488858-12-0000

C.I.Basic blue 26 (CAS No.2580-56-5)

Registration number: 17-2119488860-27-0000

- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Writting
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Changshu Hedian Pen Making Science and Technology limited company

Mocheng Towm Changshu City Jiangshu Provinece

Tel: 0512-81588200 Fax: 0512-81528231

· Only Representative/ other EU contact point:

Paul Nolan

306 The Capel Buding, Mary's Abbey, Dublin7, Ireland

Tel: +353 1 8899951 Fax: +353 1 6865683

· Further information obtainable from:

Changshu Hedian Pen Making Science and Technology limited company

· Emergency telephone number:

Hu Yonghui

Mobile Phone: 13979199077
• Email: littlesan@163.com

· Reference Number: SHTY120300004001; SHATY1204435902

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Carc. 2

H351 Suspected of causing cancer.



GHS05 corrosion

Eye Dam. 1

H318 Causes serious eye damage.

(Contd. on page 2)

Printing date 25.04.2012

Revision: 13.04.2012

(Contd. of page 1)

Trade name: Ball pen ink (blue)

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Tox. 4

H302 Harmful if swallowed.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

Harmful if swallowed. Limited evidence of a carcinogenic effect.



Xi; Irritant

R36:

Irritating to eyes.

N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05, GHS07, GHS08, GHS09
- · Signal word Danger
- · Hazard-determining components of labelling:

Benzyl alcohol

C.I. Basic Violet 3

2-Phenoxyethanol

Basic blue 26

· Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read label before use.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P281

Use personal protective equipment as required.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/physician.

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Important! This product contains substance that is of restricted use under Annex XVII of Regulation (EC) No. 1907/2006. For details, please refer to Section 15 and 16 of this Safety Data Sheet.

- · Other hazards Not applicable.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

Printing date 25.04,2012 Revision: 13.04.2012

Trade name: Ball pen ink (blue)

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

For the wording of the listed risk phrases refer to section 16.

Dangerous compone	its:	
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-0.	Benzyl alcohol X N R20/22 7-00-5 Acute Tox. 4, H302; Acute Tox. 4, H332	19,0%
CAS: 122-99-6 EINECS: 204-589-7	2-Phenoxyethanol ★ Xn R22; ★ Xi R36	19,09
CAS: 57-55-6 EINECS: 200-338-0	propane-1,2-diol substance with a Community workplace exposure limit	7,0%
CAS: 548-62-9 EINECS: 208-953-6 Index number: 612-2	C.I. Basic Violet 3 Xn R22-40; Xi R41; N R50/53 Carc. Cat. 3 Carc. 2, H351; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	6,0%
CAS: 2580-56-5 EINECS: 219-943-6	Basic blue 26 Xn R22; Xi R36	6,0%
CAS: 102-71-6 EINECS: 203-049-8	2,2',2"-nitrilotriethanol substance with a Community workplace exposure limit	2,0%
Non-dangerous com	onent:	
CAS: 25054-06-2 Formaldehyde, polymer with cyclohexanone		18,59
CAS: 61788-97-4	epoxy resin	12,09
CAS: 147-14-8 EINECS: 205-685-1	29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper	10,09

· Remark:

CAS: 9003-39-8

2,2',2"-nitrilotriethanol (CAS No.102-71-6)

Synonym: tris(Hydroxyethyl)amine

29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (CAS No.147-14-8)

Polyvinylpyrrolidone (PVP)

Synonym: Copper phthalocyanine blue

4 First aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with water.

Call for a doctor immediately.

(Contd. on page 4)

0,5%

Printing date 25.04.2012 Revision: 13.04.2012

Trade name: Ball pen ink (blue)

(Contd. of page 3)

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

Extinguishing media

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Avoid contact with eyes.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Normal measures for preventive fire protection.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

Printing date 25.04.2012 Revision: 13.04.2012

Trade name: Ball pen ink (blue)

· Specific end use(s) No further relevant information available.

(Contd. of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

Ingredients with limit	it values that require monitoring at the workplace:			
100-51-6 Benzyl alco	hol			
MAK (Germany)	vgl.Abschn.IIb			
122-99-6 2-Phenoxy	ethanol			
AGW (Germany)	110 mg/m³, 20 ppm			
	2(I);DFG, H, Y			
57-55-6 propane-1,2	diol			
MAK (Germany)	vgl.Abschn.IIb			
WEL (Great Britain)	474* 10** mg/m³, 150* ppm			
	*total vapour and particulates **particulates			
102-71-6 2,2',2"-nitr	rilotriethanol			
MAK (Germany)	5E mg/m ³			
D 11777				

- DNELs: Data not available.
- · PNECs: Data not available.
- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- · Personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/
the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 25.04.2012 Revision: 13.04.2012

Trade name: Ball pen ink (blue)

· Eye protection:

(Contd. of page 5)



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Gel
rorm: Colour:	Gei Blue
Odour:	Odourless
Odour threshold:	Data not available.
pH-value:	Data not available.
Change in condition:	
Melting point/Melting range:	Data not available.
Boiling point/Boiling range:	Data not available.
Freezing point:	Data not available.
Flash point:	Data not available.
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Data not available.
Decomposition temperature:	Data not available.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Data not available.
Upper:	Data not available.
Oxidizing properties:	Data not available.
Vapour pressure:	Data not available.
Density:	Data not available.
Relative density:	Data not available.
Vapour density:	Data not available.
Evaporation rate:	Data not available.
Solubility in / Miscibility with	
water:	Data not available.
Partition coefficient (n-octanol/wat	er): Data not available.

Data not available.

Data not available.

10 Stability and reactivity

Kinematic:

· Other information

- $\cdot \textit{Reactivity No decomposition if used according to specifications}.$
- $\cdot \textbf{\it Chemical stability \it Stable under recommended \it storage \it conditions.}$
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet Regulation(EC) No.1907/2006, 1272/2008

Revision: 13.04,2012 Printing date 25.04.2012

Trade name: Ball pen ink (blue)

· Incompatible materials: Strong oxidizing agents

· Hazardous decomposition products: Hazardous decomposition products formed under fire conditions.

11 Toxicological information

- · Information on toxicological effects

· LD/LC5	0 value	es relevant for classification:
100-51-	6 Benzy	yl alcohol
Oral	LD50	1230 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
122-99-	6 2-Ph	enoxyethanol
Oral	LD50	1260 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)
548-62-	9 C.I. I	Basic Violet 3
Oral	LD50	420 mg/kg (rat)
57-55-6	propai	ne-1,2-diol
Oral	LD50	20000 mg/kg (rat)
Dermal	LD50	20800 mg/kg (rabbit)
9003-39	-8 Poly	vinylpyrrolidone (PVP)
Oral	LD50	>40000 mg/kg (mouse)
		100000 mg/kg (rat)
102-71-	6 2,2',2	''-nitrilotriethanol
Oral	LD50	5846 mg/kg (mouse)
		2200 mg/kg (rabbit)
Dermal	LD50	>22500 mg/kg (rabbit)
2580-56	-5 Bas	ic blue 26
Oral	IDEA	500-1000 mg/kg (rat)

- · Primary irritant effect
- · on the skin: Irritating effect possible.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible.
- · Toxicokinetics, metabolism and distribution: No further relevant information available.
- · Acute effects (acute toxicity, irritation and corrosivity): No further relevant information available.
- · Repeated dose toxicity: No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

No further relevant information available.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Remark: Toxic for fish.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet Regulation(EC) No.1907/2006, 1272/2008

Printing date 25.04.2012 Revision: 13.04.2012

Trade name: Ball pen ink (blue)

Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number ADR, IMDG, IATA	UN3082
UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIOUID, N.O.S. (C.I. Basic Violet 3)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL N.O.S. (C.I. Basic Violet 3), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUIL N.O.S. (C.I. Basic Violet 3)
Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles. 9
Packing group	***
ADR, IMDG, IATA Marine pollutant:	III Yes
manne pomman.	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles. 90
Danger code (Kemler): EMS Number:	90 F-A,S-F
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
ADR	
ADR Limited quantities (LQ):	5L 3

Printing date 25.04.2012 Revision: 13.04.2012

Trade name: Ball pen ink (blue)

	(Contd. of page 8
Tunnel restriction code:	E
UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE
	LIQUID, N.O.S. (C.I. Basic Violet 3), 9, III

Safety, health and environmental regulations/legislation specific for the substance or Sara	· mixture
Section 355(extremely hazardous substances):	
None of the ingredients is listed.	
Section 313(Specific toxic chemical listings):	1. 3.
None of the ingredients is listed.	-
TSCA(Toxic Substances Act):	
100-51-6 Benzyl alcohol	
122-99-6 2-Phenoxyethanol	
25054-06-2 Formaldehyde, polymer with cyclohexanone	
147-14-8 29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper	
57-55-6 propane-1,2-diol	
548-62-9 C.I. Basic Violet 3	
2580-56-5 Basic blue 26	
102-71-6 2,2',2"-nitrilotriethanol	
9003-39-8 Polyvinylpyrrolidone (PVP)	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	-
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Cancerogenity categories	
EPA(Environmental Protection Agency):	
None of the ingredients is listed.	
IARC(International Agency for Research on Cancer):	
102-71-6 2,2',2"-nitrilotriethanol	
9003-39-8 Polyvinylpyrrolidone (PVP)	
NTP(National Toxicology Program):	
None of the ingredients is listed.	
TLV(Threshold Limit Value established by ACGIH):	
None of the ingredients is listed.	
MAK(German Maximum Workplace Concentration)	
None of the ingredients is listed.	

Revision: 13.04.2012 Printing date 25.04.2012

Trade name: Ball pen ink (blue)

(Contd. of page 9)

· OSHA-Ca(Occupational Safety & Health Administration):

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations

· REACH Regulation Annex XVII Restriction List (9/2/2012)

100-51-6 Benzyl alcohol

122-99-6 2-Phenoxyethanol

Candidate List of Substances of very high concern (SVHC) according to ECHA (19/12/2011) None of the ingredients is listed.

REACH Regulation Annex XIV Authorization List (15/2/2012)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

- · Relevant phrases
- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- R20/22 Harmful by inhalation and if swallowed.
- Harmful if swallowed. R22
- R36 Irritating to eyes.
- R40 Limited evidence of a carcinogenic effect.
- R41 Risk of serious damage to eyes.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- · Recommended restriction of use REACH Annex XVII Restricted -3

Liquid substances or mixtures, which are regarded as dangerous according to the definitions in Council Directive 67/548/EEC and Directive 1999/45/EC.

2-phenoxyethanol (CAS No.122-99-6)

Benzyl alcohol (CAS No.100-51-6)

- 1. Shall not be used in:
- ornamental articles, intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent unless required for fiscal reasons or perfume or both and if they:
- present an aspiration hazard and are labelled with R65 or H304, and,
- can be used as fuel in decorative lamps, and,
- are packaged in containers of a capacity of 15 litres or less.
- 4. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of substances and mixtures covered by paragraph 3, where intended for use in lamps, is marked visibly, legibly and indelibly as follows:
- "Keep lamps filled with this liquid out of the reach of children".

(Contd. on page 11)

Printing date 25.04.2012 Revision: 13.04.2012

Trade name: Ball pen ink (blue)

(Contd. of page 10)

The contents and format of this MSDS/SDS are in accordance with REGULATION (EC) No 1272/2008, REGULATION (EC) No 1907/2006, Regulation (EU) No 453/2010 and EU Commission Directive 1999/45/ EC, 67/548/EEC.

DISCLAIMER OF LIABILITY:

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

End of document